



STATE OF MARYLAND

DMMH

Maryland Department of Health and Mental Hygiene
300 W. Preston Street, Suite 202, Baltimore, Maryland 21201

Martin O'Malley, Governor – Anthony G. Brown, Lt. Governor – Joshua M. Sharfstein, M.D., Secretary

Office of Preparedness & Response
Sherry Adams, R.N., C.P.M, Director
Isaac P. Ajit, M.D., M.P.H., Deputy Director

January 13, 2012

Public Health & Emergency Preparedness Bulletin: # 2012:01 Reporting for the week ending 01/07/12 (MMWR Week #01)

CURRENT HOMELAND SECURITY THREAT LEVELS


National: No Active Alerts
Maryland: Level One (MEMA status)

SYNDROMIC SURVEILLANCE REPORTS

ESSENCE (Electronic Surveillance System for the Early Notification of Community-based Epidemics):


Graphical representation is provided for all syndromes, excluding the "Other" category, all age groups, and red alerts are circled. Red alerts are generated when observed count for a syndrome exceeds the 99% confidence interval. Note: ESSENCE – ANCR uses syndrome categories consistent with CDC definitions.

Overall, no suspicious patterns of illness were identified. Track backs to the health care facilities yielded no suspicious patterns of illness.




*Includes EDs in all jurisdictions in the NCR (MD, VA, and DC) reporting to ESSENCE


MARYLAND ESSENCE:




* Region 1 and 2 includes EDs in Allegany, Frederick, Garrett, and Washington counties reporting to ESSENCE



* Region 3 includes EDs in Anne Arundel, Baltimore City, Baltimore, Carroll, Harford, and Howard counties reporting to ESSENCE




* Region 4 includes EDs in Cecil, Dorchester, Kent, Somerset, Talbot, Wicomico, and Worcester counties reporting to ESSENCE



* Region 5 includes EDs in Calvert, Charles, Montgomery, Prince George's, and St. Mary's counties reporting to ESSENCE

YELLOW ALERT TIMES (ED DIVERSION): The reporting period begins 10/01/11.

Statewide Yellow Alert Comparison Daily Historical Deviations October 1, '11 to January 7, '12



REVIEW OF MORTALITY REPORTS

Office of the Chief Medical Examiner: OCME reports no suspicious deaths related to an emerging public health threat for the week.

MARYLAND TOXIDROMIC SURVEILLANCE

Poison Control Surveillance Monthly Update: Investigations of the outliers and alerts observed by the Maryland Poison Center and National Capital Poison Center in October 2011 did not identify any cases of possible public health threats.

REVIEW OF MARYLAND DISEASE SURVEILLANCE FINDINGS

COMMUNICABLE DISEASE SURVEILLANCE CASE REPORTS (confirmed, probable and suspect):

Meningitis:	<u>Aseptic</u>	<u>Meningococcal</u>
New cases (January 1 – January 7, 2012):	7	0
Prior week (December 25 – December 31, 2011):	7	0
Week#1, 2011 (January 2 – January 8, 2011):	8	0

9 outbreaks were reported to DHMH during MMWR week 1 (January 1 – January 7, 2012)

8 Gastroenteritis outbreaks

7 outbreaks of GASTROENTERITIS in Nursing Homes

1 outbreak of GASTROENTERITIS in an Assisted Living Facility


MARYLAND SEASONAL FLU STATUS

Seasonal Influenza reporting occurs October through May. Seasonal influenza activity for Week 1 was: No activity, Minimal Intensity.


SYNDROMIC SURVEILLANCE FOR INFLUENZA-LIKE ILLNESS

Graphs show the percentage of total weekly Emergency Department patient chief complaints that have one or more ICD9 codes representing provider diagnoses of influenza-like illness. These graphs do not represent confirmed influenza.

Graphs show proportion of total weekly cases seen in a particular syndrome/subsyndrome over the total number of cases seen. Weeks run Sunday through Saturday and the last week shown may be artificially high or low depending on how much data is available for the week.




* Includes 2010 and 2011 Maryland ED visits for ILI in Metro Baltimore (Region 3), Maryland NCR (Region 5), and Maryland Total




OVER-THE-COUNTER (OTC) SALES FOR RESPIRATORY MEDICATIONS:

Graph shows the daily number of over-the-counter respiratory medication sales in Maryland at a large pharmacy chain.



PRESCRIPTION ANTIVIRAL SALES:

Graph shows the weekly number of prescription antiviral sales in Maryland.



PANDEMIC INFLUENZA UPDATE / AVIAN INFLUENZA-RELATED REPORTS

WHO update: The current WHO phase of pandemic alert for avian influenza is 3. Currently, the avian influenza H5N1 virus continues to circulate in poultry in some countries, especially in Asia and northeast Africa. This virus continues to cause sporadic human infections with some instances of limited human-to-human transmission among very close contacts. There has been no sustained human-to-human or community-level transmission identified thus far.

In **Phase 3**, an animal or human-animal influenza reassortant virus has caused sporadic cases or small clusters of disease in people, but has not resulted in human-to-human transmission sufficient to sustain community-level outbreaks. Limited human-to-human transmission may occur under some circumstances, for example, when there is close contact between an infected person and an unprotected caregiver. However, limited transmission under such restricted circumstances does not indicate that the virus has gained the level of transmissibility among humans necessary to cause a pandemic.

As of January 6, 2012, the WHO-confirmed global total of human cases of H5N1 avian influenza virus infection stands at 576, of which 339 have been fatal. Thus, the case fatality rate for human H5N1 is approximately 59%.

NATIONAL DISEASE REPORTS

There were no national disease reports for MMWR Week 51.

INTERNATIONAL DISEASE REPORTS

LEPTOSPIROSIS (PHILIPPINES): 4 January 2012, A leptospirosis outbreak has been declared in Cagayan de Oro after 200 people were diagnosed to have the disease [leptospirosis]. 2 of the victims have been confined at the hospital for 4 days due to leptospirosis. The 2 survived the floods in Barangay [smallest administrative division in the Philippines] Bulalang in Cagayan de Oro but they could not escape the disease, which is transmitted through floodwaters contaminated by urine from rats and other animals. "I had a fever after 2 days. The fever goes away and comes back. I had a headache and I vomited," [one of the hospitalized patients] said. The Cagayan de Oro City Health Office has already recorded 200 cases of leptospirosis infection, with 5 deaths. Dr Jaime Bernadas, regional director of the Department of Health (DOH), said 99 percent of the patients failed to get enough medicine. The disease has an incubation period of 5 to 21 days. The DOH, which declared the outbreak, fears the number of cases could still rise in the coming days. (Water Safety Threats are listed in Category B on the CDC List of Critical Biological Agents) *Non-suspect case

ANTHRAX (SERBIA) 4 January 2012, From 5 to 9 Jun 2011, cutaneous anthrax was diagnosed in 3 workers who were in contact with the 1st dead heifer during slaughter, and had not had any contact with the other sick animals. They were classified as probable cases of anthrax based on epidemiological and clinical data. Skin manifestation occurred on the patients' hands after the incubation period of 1 to 2 days [13], followed by high fever, without any other symptoms. The infection started as a pruritic papula. In 2 days the papula enlarged and formed an ulcer, about 2 cm in

diameter, with typical black central crust. There was oedema of the ulcer and surrounding skin. The skin lesions were painless. The patients were treated with antibiotic therapy 15 days at home and recovered. No laboratory diagnostic tests were done on the human patients. A further 5 persons who had been exposed to dead animals were followed up for 24 days during the incubation period, but no clinical signs and symptoms appeared. No human deaths were reported in the area in that period which that could have been due to undiagnosed anthrax. Meat from infected animals was not consumed because the carcasses were destroyed after appropriate transport. The meat from the 1st slaughtered heifer was not available for investigation and may have been used to feed pets. (Anthrax is listed in Category A on the CDC List of Critical Biological Agents) *Non-suspect case

OTHER RESOURCES AND ARTICLES OF INTEREST

More information concerning Public Health and Emergency Preparedness can be found at the Office of Preparedness and Response website:
<http://preparedness.dhmh.maryland.gov/>

Maryland's Resident Influenza Tracking System: <http://dhmh.maryland.gov/flusurvey>

NOTE: This weekly review is a compilation of data from various surveillance systems, interpreted with a focus on a potential BT event. It is not meant to be inclusive of all epidemiology data available, nor is it meant to imply that every activity reported is a definitive BT event. International reports of outbreaks due to organisms on the CDC Critical Biological Agent list will also be reported. While not "secure", please handle this information in a professional manner. Please feel free to distribute within your organization, as you feel appropriate, to other professional staff involved in emergency preparedness and infection control.

For questions about the content of this review or if you have received this and do not wish to receive these weekly notices, please e-mail me. If you have information that is pertinent to this notification process, please send it to me to be included in the routine report.

Zachary Faigen, MSPH
Biosurveillance Epidemiologist
Office of Preparedness and Response
Maryland Department of Health & Mental Hygiene
300 W. Preston Street, Suite 202
Baltimore, MD 21201
Office: 410-767-6745
Fax: 410-333-5000
Email: ZFaigen@dhmh.state.md.us

Anikah H. Salim, MPH
Biosurveillance Epidemiologist
Office of Preparedness and Response
Maryland Department of Health & Mental Hygiene
300 W. Preston Street, Suite 202
Baltimore, MD 21201
Office: 410-767-2074
Fax: 410-333-5000
Email: ASalim@dhmh.state.md.us

Syndrome Definitions for Diseases Associated with Critical Bioterrorism-associated Agents

Table: Text-based Syndrome Case Definitions and Associated Category A Conditions

Syndrome	Definition	Category A Condition
Botulism-like	<p>ACUTE condition that may represent exposure to botulinum toxin</p> <p>ACUTE paralytic conditions consistent with botulism: cranial nerve VI (lateral rectus) palsy, ptosis, dilated pupils, decreased gag reflex, media rectus palsy.</p> <p>ACUTE descending motor paralysis (including muscles of respiration)</p> <p>ACUTE symptoms consistent with botulism: diplopia, dry mouth, dysphagia, difficulty focusing to a near point.</p>	Botulism
Hemorrhagic Illness	<p>SPECIFIC diagnosis of any virus that causes viral hemorrhagic fever (VHF): yellow fever, dengue, Rift Valley fever, Crimean-Congo HF, Kyasanur Forest disease, Omsk HF, Hantaan, Junin, Machupo, Lassa, Marburg, Ebola</p> <p>ACUTE condition with multiple organ involvement that may be consistent with exposure to any virus that causes VHF</p> <p>ACUTE blood abnormalities consistent with VHF: leukopenia, neutropenia, thrombocytopenia, decreased clotting factors, albuminuria</p>	VHF
Lymphadenitis	<p>ACUTE regional lymph node swelling and/ or infection (painful bubo- particularly in groin, axilla or neck)</p>	Plague (Bubonic)
Localized Cutaneous Lesion	<p>SPECIFIC diagnosis of localized cutaneous lesion/ ulcer consistent with cutaneous anthrax or tularemia</p> <p>ACUTE localized edema and/ or cutaneous lesion/ vesicle, ulcer, eschar that may be consistent with cutaneous anthrax or tularemia</p> <p>INCLUDES insect bites</p> <p>EXCLUDES any lesion disseminated over the body or generalized rash</p> <p>EXCLUDES diabetic ulcer and ulcer associated with peripheral vascular disease</p>	Anthrax (cutaneous) Tularemia
Gastrointestinal	<p>ACUTE infection of the upper and/ or lower gastrointestinal (GI) tract</p> <p>SPECIFIC diagnosis of acute GI distress such as Salmonella gastroenteritis</p> <p>ACUTE non-specific symptoms of GI distress such as nausea, vomiting, or diarrhea</p> <p>EXCLUDES any chronic conditions such as inflammatory bowel syndrome</p>	Anthrax (gastrointestinal)

Syndrome Definitions for Diseases Associated with Critical Bioterrorism-associated Agents
(continued from previous page)

Syndrome	Definition	Category A Condition
Respiratory	<p>ACUTE infection of the upper and/ or lower respiratory tract (from the oropharynx to the lungs, includes otitis media)</p> <p>SPECIFIC diagnosis of acute respiratory tract infection (RTI) such as pneumonia due to parainfluenza virus</p> <p>ACUTE non-specific diagnosis of RTI such as sinusitis, pharyngitis, laryngitis</p> <p>ACUTE non-specific symptoms of RTI such as cough, stridor, shortness of breath, throat pain</p> <p>EXCLUDES chronic conditions such as chronic bronchitis, asthma without acute exacerbation, chronic sinusitis, allergic conditions (Note: INCLUDE <i>acute exacerbation</i> of chronic illnesses.)</p>	<p>Anthrax (inhalational)</p> <p>Tularemia</p> <p>Plague (pneumonic)</p>
Neurological	<p>ACUTE neurological infection of the central nervous system (CNS)</p> <p>SPECIFIC diagnosis of acute CNS infection such as pneumococcal meningitis, viral encephalitis</p> <p>ACUTE non-specific diagnosis of CNS infection such as meningitis not otherwise specified (NOS), encephalitis NOS, encephalopathy NOS</p> <p>ACUTE non-specific symptoms of CNS infection such as meningismus, delirium</p> <p>EXCLUDES any chronic, hereditary or degenerative conditions of the CNS such as obstructive hydrocephalus, Parkinson's, Alzheimer's</p>	Not applicable
Rash	<p>ACUTE condition that may present as consistent with smallpox (macules, papules, vesicles predominantly of face/arms/legs)</p> <p>SPECIFIC diagnosis of acute rash such as chicken pox in person > XX years of age (base age cut-off on data interpretation) or smallpox</p> <p>ACUTE non-specific diagnosis of rash compatible with infectious disease, such as viral exanthem</p> <p>EXCLUDES allergic or inflammatory skin conditions such as contact or seborrheic dermatitis, rosacea</p> <p>EXCLUDES rash NOS, rash due to poison ivy, sunburn, and eczema</p>	Smallpox
Specific Infection	<p>ACUTE infection of known cause not covered in other syndrome groups, usually has more generalized symptoms (i.e., not just respiratory or gastrointestinal)</p> <p>INCLUDES septicemia from known bacteria</p> <p>INCLUDES other febrile illnesses such as scarlet fever</p>	Not applicable

Syndrome Definitions for Diseases Associated with Critical Bioterrorism-associated Agents
(continued from previous page)

Syndrome	Definition	Category A Condition
Fever	<p>ACUTE potentially febrile illness of origin not specified</p> <p>INCLUDES fever and septicemia not otherwise specified</p> <p>INCLUDES unspecified viral illness even though unknown if fever is present</p> <p>EXCLUDE entry in this syndrome category if more specific diagnostic code is present allowing same patient visit to be categorized as respiratory, neurological or gastrointestinal illness syndrome</p>	Not applicable
Severe Illness or Death potentially due to infectious disease	<p>ACUTE onset of shock or coma from potentially infectious causes</p> <p>EXCLUDES shock from trauma</p> <p>INCLUDES SUDDEN death, death in emergency room, intrauterine deaths, fetal death, spontaneous abortion, and still births</p> <p>EXCLUDES induced fetal abortions, deaths of unknown cause, and unattended deaths</p>	Not applicable